roundup®

International Suggested List Prices

Effective Date: January 1, 2014

A.J. Antunes & Co.

About Us

A.J. Antunes & Co. is a family owned and operated company specializing in the manufacturing of technologically advanced water treatment systems under the VIZION brand; custom electronic controls and air and gas pressure switches under the Antunes Controls brand; foodservice equipment under the ROUNDUP brand. A wholly owned subsidiary in Suzhou, China, manufactures all three product categories for the Asian market.

For more than 50 years, A.J. Antunes & Co. has proudly built its reputation on creating innovative and high-quality products that consistently meet the needs of our customers in order to ensure their success.

For more information, call (800) 253-2991 or visit us online at www.ajantunes.com.

Our Vision Statement

At A.J. Antunes & Co., our Vision Statement guides us in our daily operations and reminds us of our founder, August Antunes, and his commitment to his customers.

Core Values & Beliefs

Integrity | We keep our word. We are ethical. We hold ourselves to a single high standard of integrity in everything we do.

People | We respect and trust each other. We value the diversity of our workplace. We invest in our team members. We believe in the worth of every individual and that the future of our company is dependent on these team members.

Excellence | We continually pursue excellence. We expect every solution, product, and service that we provide to consistently exceed customers' expectations. We are accountable.

Passion | We are passionate about building an enduring great company. By doing so, we serve all of our customers, team members, suppliers and the societies we touch.

Family | We are a privately held company that prides itself on being family owned and operated. We intend to stay that way.

Purpose Statement

We exist to make our customer successful.

Mission Statement

To continue our journey from Good to Great, we will develop and deliver innovative solutions that will revolutionize the global foodservice industry by 2016.

A.J. Antunes & Co.

A.J. Antunes & Co.

180 Kehoe Boulevard
Carol Stream, IL 60188

Phone: (630) 784-1000
Toll Free: (800) 253-2991
Fax: (630) 784-1650

Antunes Equipment Manufacturing Ltd.

2# Building North, 89 Songshan Road
ShiShan Industrial Complex Park
New District, Suzhou, China 215129

Phone: 86-512-6841-3637
Toll Free: 400-0-7878-22
Fax: 86-512-6841-3907

Vertical Contact Toasters

Models VCT-25, VCT-50, VCT-1000, VCT-2000

Evenly toast the cut sides of buns with the ROUNDUP® brand vertical contact toaster. Each toaster is constructed of stainless steel for long life and includes three release sheets. Numerous configurations and toasting times available.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
VCT-25											
VCT-25 9200628	25-second toast time	208-240	2600-3460	12.5-14.4	50/60	CEE 7/7	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)	88 lbs. (40 kg)	$2,460.00
VCT-25 9200640	25-second toast time	230	1980	8.6	50/60	CEE 7/7	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)	88 lbs. (40 kg)	$2,460.00
VCT-50											
VCT-50 9200608	50-second toast time	208-240	2600-3460	12.5-14.4	50/60	CEE 7/7	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)	84 lbs. (38 kg)	$2,460.00
VCT-1000 (without belt wraps)											
VCT-1000 9210704	10-second toast time	208-240	2600-3460	12.5-14.4	50/60	CEE 7/7	21 1/4" (540 mm)	15 1/4" (387 mm)	24 1/4" (616 mm)	84 lbs. (38 kg)	$2,690.00
VCT-1000 (with belt wraps)											
VCT-1000 9210710	10-second toast time	208-240	2600-3455	12.5-14.4	50	IEC-309	21 1/4" (540 mm)	15 1/4" (387 mm)	24 1/4" (616 mm)	82 lbs. (37 kg)	$2,930.00
VCT-2000											
VCT-2000 9210200	10-second toast time	220-240	3019-3593	13.7-15	50	CEE 7/7	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)	88 lbs. (40 kg)	$3,940.00
VCT-2000 (with heated base)											
VCT-2000 9210400	10-second toast time	220-240	3058-3640	13.9-15.2	50	CEE 7/7	21 1/4" (540 mm)	10 3/4" (273 mm)	23 1/4" (591 mm)	88 lbs. (40 kg)	$4,050.00
VCT-2000 (with wide mouth)											
VCT-2000 9210203	10-second toast time	220-240	3019-3593	13.7-15	50	CEE 7/7	21 1/4" (540 mm)	15 1/4" (387 mm)	24 1/4" (616 mm)	88 lbs. (40 kg)	$4,050.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.



Vertical Contact Toaster Accessories

Item	Mfg. No.	Description	For Use With	Shipping Weight	Price
Butter Wheel	7000238	Stainless steel butter wheel and pan. Use to butter buns before toasting. Attaches to the top of the toaster without the use of tools and can be removed easily for cleaning.	VCT-25, 50, 1000 & 2000	4 lbs. (2 kg)	$195.00
Butter Wheel	7000703	Stainless steel butter wheel and pan. Use to butter buns before toasting. Attaches to the top of the toaster without the use of tools and can be removed easily for cleaning.	VCT-2000 with wide mouth	4 lbs. (2 kg)	$195.00
Bun Feeder	7000236	Automatic gravity-fed bun feeder for pre-loading buns into a toaster, which increases productivity by allowing operator to complete other duties. Attaches to the top of the toaster without the use of tools and adjustable to fit most bun sizes.	VCT-25, 50, 1000 & 2000	5 lbs. (3 kg)	$200.00
Bun Feeder	7000787	Automatic gravity-fed bun feeder for pre-loading buns into a toaster, which increases productivity by allowing operator to complete other duties. Attaches to the top of the toaster without the use of tools and adjustable to fit most bun sizes.	VCT-2000 with wide mouth	5 lbs. (3 kg)	$200.00
Low Profile Bun Feeder	7000292	Low profile bun feeder allows for quick and easy loading of buns into the toaster. Attaches to the top of the toaster without the use of tools.	VCT-25, 50, 1000 & 2000	5 lbs. (3 kg)	$74.70
Heated Bun Buffer	7000842	Heated landing zone keeps freshly toasted buns warm until they are ready to serve. Attaches easily to the bottom of the toaster without the use of tools.	VCT-25, 50, 1000 & 2000	24 lbs. (11 kg)	$540.00

Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height
230	35	0.3	50/60	CEE 7/7	18 13/16" (478 mm)	19 3/8" (492 mm)	7 13/16" (198 mm)



Vertical Contact Toaster Consumables

Item	Mfg. No.	Description	For Use With	Shipping Weight	Price
Damper Kit	7000574	Covers keep heat contained in the toaster to save energy. When used, toasters consume half as much energy in the idle state, use 22% less energy when cooking, and give off half as much average heat gain to space.	VCT-25, 50, 1000 & 2000	5 lbs. (3 kg)	$64.90
Heat Shield with Dampers	7000707	Heat shield with covers keep heat contained in the toaster to save energy. When used, toasters consume half as much energy in the idle state, use 22% less energy when cooking, and give off half as much average heat gain to space.	VCT-25, 50, 1000 & 2000	10 lbs. (6 kg)	$180.00
Release Sheets	7000250	10-pack of non-stick release sheets that allow buttered buns to move easily down the grill surface of the toaster. Minimum order of 5 packages.	VCT-25, 50, 1000 & 2000	5 lbs. (3 kg)	$145.20

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Muffin Toaster

Model MT-12

This durable unit toasts up to 324 English muffins per hour. The partial load feature allows for toasting three or fewer muffins. Toaster includes spatula kit. Dimensions listed are for toaster without spatula.

Model & Mfg. No.	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
MT-12 9200148	230	3400	14.8	50/60	IEC-309	15 5/8" (397 mm)	26 5/8" (676 mm)	8 1/8" (207 mm)	57 lbs. (26 kg)	$2,570.00

Muffin Toaster Accessory

Item	Mfg. No.	Description	For Use With	Price
Spatula Kit	7000477	Spatula for easily loading and unloading English muffins into toaster.	MT-12	$74.00



Panini Grill

Model TL-5270

Thermostatically controlled grill for easily serving Panini-style sandwiches. Grills sandwiches up to 2 3/4" (70 mm) thick. Temperature adjustment range from 100°F (38°C) to 500°F (260°C). Includes a 90-day warranty.

Model & Mfg. No.	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
TL-5270 9800202	230	1710	7.4	50/60	CEE 7/7	11 1/4" (286 mm)	15 3/8" (391 mm)	6 1/2" (165 mm)	25 lbs. (11 kg)	$990.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Egg Stations

Models ES-600 & ES-1200

Cook eggs for breakfast sandwiches and omelets with ROUNDUP® brand egg stations. Numerous configurations available allow for cooking six to twelve eggs or grill space for heating pre-cooked Canadian bacon. Each unit includes egg rings. Additional egg rings may be purchased from an Authorized Service Agency or dealer.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
ES-600											
ES-600 9300572	Six 3" egg rings and Canadian bacon	230	2900	12.6	50/60	CEE 7/7	17 1/4" (438 mm)	17 1/2" (445 mm)	9" (229 mm)	45 lbs. (20 kg)	$2,320.00
ES-1200											
ES-1200 9300532	Twelve 3" egg rings	208-220-240	2380-2662-3168	11.4-12.1-13.2	50/60	NEMA 6-20P	17 1/4" (438 mm)	17 1/2" (445 mm)	9" (229 mm)	48 lbs. (22 kg)	$2,570.00
ES-1200 9300582	Twelve 3" egg rings	230	2900	12.6	50/60	CEE 7/7	17 1/4" (438 mm)	17 1/2" (445 mm)	9" (229 mm)	48 lbs. (22 kg)	$2,570.00
ES-1200 (with nickel-plated grill)											
ES-1200 9300587	Twelve 3" egg rings	230	2900	12.6	50/60	CEE 7/7	19 7/8" (505 mm)	17 3/4" (451 mm)	7" (178 mm)	50 lbs. (23 kg)	$2,780.00

Egg Station Consumables

Item	Mfg. No.	Description	For Use With	Price
Egg Station Kit	213K115	Includes spatula, scraper and brush.	ES-600, ES-602, ES-604 & ES-1200	$31.50
Plastic Squeeze Bottle	2180111	Plastic squeeze bottle. Minimum order of five bottles.	ES-600, ES-602, ES-604 & ES-1200	$12.00
3" Egg Ring Kit	213K101	Includes set of six 3" egg rings.	ES-600 & ES-1200	$85.10
4" Egg Ring Kit	213P176	Includes set of six 4" egg rings.	ES-604	$138.40
ES-600 Cover Kit	7000261	Includes cover, rack, and ring assembly to cook six 3" eggs	ES-600, ES-602 & ES-1200 (except units with nickel-plated grill)	$253.40
ES-602 Cover Kit	7000635	Includes cover, rack, and ring assembly to cook two 8" eggs	ES-600, ES-602 & ES-1200 (except units with nickel-plated grill)	$396.00
ES-604 Cover Kit	7000835	Includes cover, rack, and ring assembly to cook six 4" eggs	ES-600, ES-602 & ES-1200 (except units with nickel-plated grill)	$374.90
ES-1200 Cover Kit	7000690	Includes cover, rack, and ring assembly to cook twelve 3" eggs	ES-600, ES-602 & ES-1200 (except units with nickel-plated grill)	$373.20

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Steam Food Warmers

Models DFW-150, DFW-250, DFWT-150, DFWT-250 & DFWF-250

Steamers prepare food quickly using simple push-button action. Units with timers can be set up to 99 minutes. Units with direct water hook-up include a installation hose kit but do require a water pressure regulator to keep the psi between 20 and 30.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
Timer with self-contained water tank											
DFW-150 9100106	Half-size 2 7/8" deep pan	230	2800	12.2	50/60	CEE 7/7	16 5/8" (422 mm)	17 1/4" (438 mm)	8 3/4" (222 mm)	42 lbs. (19 kg)	$2,190.00
DFWT-150 9100126	Two-thirds 2 7/8" deep pan	230	2800	12.2	50/60	CEE 7/7	20" (508 mm)	17 1/4" (438 mm)	8 3/4" (222 mm)	50 lbs. (23 kg)	$2,550.00
Timer with direct water hook-up											
DFW-250 9100116	Half-size 2 7/8" deep pan	230	2800	12.2	50/60	CEE 7/7	16 5/8" (422 mm)	17 1/4" (438 mm)	8 1/4" (210 mm)	45 lbs. (20 kg)	$2,190.00
DFWT-250 9100136	Two-thirds 2 7/8" deep pan	230	2800	12.2	50/60	CEE 7/7	20" (508 mm)	17 1/4" (438 mm)	8 3/4" (222 mm)	75 lbs. (34 kg)	$2,550.00
DFWF-250 9100146	Full size 4" deep pan	208	3300	15.9	50/60	NEMA 6-20P	26 7/8" (683 mm)	17 1/4" (438 mm)	9 3/8" (238 mm)	75 lbs. (34 kg)	$3,100.00
DFWF-250 9100156	Full size 4" deep pan	230	3300	14.3	50/60	CEE 7/7	26 7/8" (683 mm)	17 1/4" (438 mm)	9 3/8" (238 mm)	75 lbs. (34 kg)	$3,330.00

Steamer Food Warmer Accessories

Item	Mfg. No.	Description	For Use With	Price
Set of 1/2-Size Pans	7000704	Set of three 1/2-size pans.	DFW-150, DFW-250	$236.00
Set of 2/3-Size Pans	7000705	Set of three 2/3-size pans.	DFWT-150, DFWT-250	$258.30

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Miracle Steamers

Models MS-150, MS-155, MS-250 & MS-255

Steam is generated from the top down to the product below. Units are equipped with a 0–99 minute fully programmable timer. Units with a direct water hook-up include installation hose kit but do require a water pressure regulator to keep the psi between 20 and 30.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
Spatula style with self-contained water reservoir (side)											
MS-150 9100428	14" spatula	230	3300	14.4	50/60	CEE 7/7	21" (533 mm)	21 3/8" (543 mm)	10 1/4" (260 mm)	58 lbs. (26 kg)	$2,550.00
Spatula style with direct water hook-up											
MS-250 9100438	14” spatula	230	3300	14.4	50/60	CEE 7/7	21" (533 mm)	21 3/8" (543 mm)	9 1/2" (241 mm)	55 lbs. (25 kg)	$2,550.00
Drawer style with self-contained water reservoir (side)											
MS-155 9100450	14" drawer	208	3300	15.9	50/60	NEMA 6-20P	21" (533 mm)	17 1/4" (438 mm)	10 1/4" (260 mm)	60 lbs. (27 kg)	$2,640.00
MS-155 9100458	14" drawer	230	3300	14.4	50/60	CEE 7/7	21" (533 mm)	17 1/4" (438 mm)	10 1/4" (260 mm)	60 lbs. (27 kg)	$2,640.00
Drawer style with direct water hook-up											
MS-255 9100460	14” drawer	208	3300	15.9	50/60	NEMA 6-20P	21" (533 mm)	17 1/4" (438 mm)	9 1/2" (241 mm)	60 lbs. (27 kg)	$2,640.00
MS-255 9100466	14” drawer	230	3300	14.4	50/60	NEMA 6-20P	21" (533 mm)	17 1/4" (438 mm)	9 1/2" (241 mm)	58 lbs. (26 kg)	$2,640.00

Miracle Steamer Accessories

Item	Mfg. No.	Description	Width	Depth	Height	For Use With	Price
Spatula	7000260	Spatula with large holes in bottom to allow more steam to penetrate food.	—	—	—	MS-150 & MS-250	$166.30
SMS-200 Stacking Rack	9900005	Rack to stack two steamer units to save space and provide easy access. Organizes utility lines, protects water pressure regulators, and provides central water collection system to a single drain hose.	22" (559 mm)	16 3/4" (425 mm)	25 3/8" (645 mm)	MS-150 & MS-250	$1,120.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Variety Steamers

Models VS-200ADB, VS-200ASB, VS-250, VS-350

Steam is generated to prepare food. Units are equipped with a 0–99 minute fully programmable timer. Units have a direct water hook-up and require a water pressure regulator to keep the psi between 20 and 30. Installation hose kit supplied.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
VS-200ADB 9100222	Two 10-ounce baskets	230	3490	15.2	50/60	CEE 7/7	11 3/4" (298 mm)	22 1/8" (562 mm)	10 1/4" (260 mm)	46 lbs. (21 kg)	$2,590.00
VS-200ASB 9100212	One 20-ounce basket	230	3490	15.2	50/60	CEE 7/7	11 3/4" (298 mm)	22 1/8" (562 mm)	10 1/4" (260 mm)	46 lbs. (21 kg)	$2,590.00
VS-250 9100262	Two 10-ounce baskets	230	3490	15.2	50/60	CEE 7/7	11 5/8" (295 mm)	21 3/8" (543 mm)	11 1/4" (286 mm)	47 lbs. (21 kg)	$2,820.00
VS-350 9100700	Two 20-ounce baskets	208	5000	24	50/60	NEMA L6-30P	15" (381 mm)	23 1/2" (597 mm)	11 3/8" (289 mm)	68 lbs. (31 kg)	$3,760.00
VS-350 9100710	Two 20-ounce baskets	230	5000	21.7	50/60	IEC-309	15" (381 mm)	23 1/2" (597 mm)	11 3/8" (289 mm)	68 lbs. (31 kg)	$3,760.00
VS-350 9100720	Two 20-ounce baskets	230	3500	15.2	50/60	CEE 7/7	15" (381 mm)	23 1/2" (597 mm)	11 3/8" (289 mm)	68 lbs. (31 kg)	$3,760.00

Variety Steamer Accessories

Item	Mfg. No.	For Use With	Price
10-ounce basket	0010551	VS-200 & VS-250	$68.00
10-ounce rice basket	0010570	VS-200 & VS-250	$72.00
20-ounce basket	0010550	VS-200 & VS-250	$80.00
40-ounce basket and lid assembly	7000104	VS-200 & VS-250	$163.80
20-ounce basket	0011502	VS-350	$86.00
40-ounce basket	0011467	VS-350	$86.10
50-ounce basket	0011501	VS-350	$82.00
Poached egg basket assembly with two egg cups	001K717	VS-200 & VS-250	$83.00
Poached egg basket assembly with six egg cups	7000672	VS-350	$107.10
Six replacement egg cups	7000673	VS-200 & VS-350	$49.40
Needle Plate	0010452	VS-200 & VS-250	$214.00

Water Pressure Regulators

Compact, easily installed units permit adjustment of water pressure into one steamer with the single regulator or two steamers with the dual kit. Constant water pressure ensures more productive steaming.

Item	Mfg. No.	Shipping Weight	Price
Single Water Pressure Regulator Kit	7000314	5 lbs. (3 kg)	$144.00
Dual Water Pressure Regulator Kit	7000235	8 lbs. (3.5 kg)	$224.70

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Hot Dog Corrals

Models HDC-20, HDC-20RC, HDC-21A, HDC-30A & HDC-50A

Unique and innovative way to grill hot dogs. Hot dogs are placed in a "corral" that moves up and down over a heated flat grill surface. Includes dual thermostat.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
HDC-20 9300302	20 four-to-a-pound 5" hot dogs	230	1000	4.4	50/60	CEE 7/7	18 3/4" (476 mm)	21 1/2" (546 mm)	8 1/4" (210 mm)	55 lbs. (25 kg)	$1,340.00
HDC-20RC 9300308	20 four-to-a-pound 5" hot dogs	230	1000	4.4	50/60	CEE 7/7	18 3/4" (476 mm)	21 1/2" (546 mm)	8 1/4" (210 mm)	55 lbs. (25 kg)	$1,340.00
HDC-21A 9300322	21 four-to-a-pound 5" hot dogs	230	1200	5.2	50/60	CEE 7/7	23 1/8" (588 mm)	14 1/2" (368 mm)	7 1/4" (184 mm)	42 lbs. (19 kg)	$1,410.00
HDC-30A 9300332	30 four-to-a-pound 5" hot dogs	230	1500	6.5	50/60	CEE 7/7	22" (559 mm)	19 5/8" (498 mm)	7 1/4" (184 mm)	55 lbs. (25 kg)	$1,600.00
HDC-50A 9300352	50 four-to-a-pound 5" hot dogs	230	1750	7.6	50/60	CEE 7/7	32 1/2" (826 mm)	19 3/4" (502 mm)	7 1/4" (184 mm)	62 lbs. (28 kg)	$2,080.00

Hot Dog Steamer

Model HDS-20

This unit is designed to steam hot dogs and buns and keep them warm until they are ready to serve. It uses plain tap water and is easy to clean. Unit holds up to 32 hot dogs and 16 buns. Includes a 90-day warranty.

Model & Mfg. No.	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
HDS-20 9800206	230	1000	4.4	50/60	CEE 7/7	10 1/16" (256 mm)	16 5/8" (422 mm)	11 5/8" (296 mm)	17 lbs. (8 kg)	$670.00

Hot Dog Hutches

Model HDH-3

Quickly heat food and maintain it at a ready-to-eat temperature with the thermostat control knob. The HDH-3 model holds hot dogs and buns.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
HDH-3 9300102	33 7" (178 mm) hot dogs and 20 hot dog buns	230	1000	4.4	50/60	CEE 7/7	18 1/4" (464 mm)	15" (381 mm)	15" (381 mm)	41 lbs. (19 kg)	$1,530.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Hot Dog Equipment Accessories

Item	Mfg. No.	Description	For Use With	Price
SG-20	9390102	Clear acrylic protective food shield. May be required by local health departments.	HDC-20	$300.00
SG-21	9390104	Clear acrylic protective food shield. May be required by local health departments. Rated at 30 lbs. (14 kg) due to size regulations.	HDC-21A & HDC-30A	$300.00
SG-35	9390100	Clear acrylic protective food shield. May be required by local health departments. Shipping weight is 35 lbs.	HDC-35A & HDC-50A	$400.00
SG-50	9390106	Clear acrylic protective food shield. May be required by local health departments. For older HDC-50A's, a side panel kit is required for installation. Rated at 70 lbs. (32 kg) due to size regulations.	HDC-50A	$530.00
—	0020989	Jumbo rack assembly to cook large diameter, four-to-a-pound hot dogs.	HDC-30A	$162.80
—	0021448	Jumbo rack assembly to cook large diameter, four-to-a-pound hot dogs.	HDC-50A	$235.00
—	0505657	Upper rack to hold hot dogs.	HDS-20	$17.00
—	0505656	Lower rack to hold hot dogs.	HDS-20	$14.00

Warmer Drawers

Models WD-20, WD-21A, WD-35A

Heated, thermostatically controlled warming drawer designed to be used separately, stacked, or fit under the HDC units. Models with a water tray create humidity in the drawer.

Model & Mfg. No.	Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
With water tray											
WD-20 9400102	40 hot dog buns for 1.5 hours	230	500	2.2	50/60	CEE 7/7	18 3/4" (476 mm)	22" (559 mm)	10 1/4" (260 mm)	56 lbs. (25 kg)	$1,335.00
WD-21A 9400112	40 hot dog buns for 1.5 hours	208-230	900-1100	4.3-4.8	50/60	CEE 7/7	22 1/8" (562 mm)	17 1/4" (438 mm)	10 1/4" (260 mm)	49 lbs. (22 kg)	$1,460.00
WD-35A 9400122	40 hot dog buns for 1.5 hours	208-230	1251-1530	6-6.7	50/60	CEE 7/7	32 1/2" (826 mm)	17 1/4" (438 mm)	10 1/2" (267 mm)	60 lbs. (27 kg)	$1,770.00
Without water tray											
WD-20 9400132	40 hot dog buns for 1.5 hours	230	500	2.2	50/60	CEE 7/7	18 3/4" (476 mm)	21" (533 mm)	10 5/8" (270 mm)	56 lbs. (25 kg)	$1,200.00
WD-21A 9400144	40–50 hot dog buns for 1.5 hours	208-230	900-1100	4.3-4.8	50/60	CEE 7/7	22 1/8" (562 mm)	17 1/2" (445 mm)	10 3/8" (264 mm)	45 lbs. (20 kg)	$1,300.00
WD-35A 9400154	40–50 hot dog buns for 1.5 hours	208-230	1250-1530	6-6.7	50/60	CEE 7/7	32 1/2" (826 mm)	17 1/2" (445 mm)	10 1/2" (267 mm)	60 lbs. (27 kg)	$1,590.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Pizza Station

Model PS-314

The oven cooks one pizza while the display area holds up to three pizzas and maintains them at a ready-to-serve temperature for approximately one hour. Accessories must be purchased separately. Unit shipped on skid.

Model & Mfg. No.	Oven Capacity	Display Capacity	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
PS-314 9050710	One 14" pizza	Three 14" pizzas	230	1800	7.8	50/60	CEE 7/7	18 1/8" (460 mm)	19 3/4" (502 mm)	28 3/4" (730 mm)	129 lbs. (58 kg)	$2,510.00

Pizza Station Accessory

Item	Mfg. No.	Description	For Use With	Price
Accessory Kit	0010662	Includes one pizza peel, one pizza cutter, and three 14" (356 mm) pizza pans.	PS-314	$125.00

Corn Cooker

Model CCC-20

Low temperature, thermostatically controlled cooker for preparing ears of corn quickly and easily. Holds up to eighty 3" (76 mm) ears of corn or forty 6" (152 mm) ears of corn.

Model & Mfg. No.	Volts	Watts	Amp.	Hz.	Plug	Width	Depth	Height	Shipping Weight	Price
CCC-20 9600215	208-220-240	1570-1750-2090	7.5-8-8.7	50/60	CEE 7/7	13" (330 mm)	25" (635 mm)	14 1/8" (359 mm)	33 lbs. (15 kg)	$1,130.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Dial-A-Cup

Models LS-20, LS-30, DAC-20, DACS-30, DACS-35, DACS-40, DACS-50, DACS-60, SSDAC-5, SSDAC-10, DAC-5, DAC-10, LD-10

Dial-A-Cup is an innovative way to dispense almost all standard beverage cups. The one-size-fits-all concept allows the operator to change styles without worrying about how new cups will fit in the dispenser. Units can be mounted vertically, horizontally, or overhead.

Due to size regulations, UPS treats the DACS-30 and DACS-35 as if their weight were 70 lbs. (32 kg) and the DACS-50 as 105 lbs. (48 kg).

All DACS and LS units include a 90-day warranty.

Model & Mfg. No.	Item Description	Width	Depth	Height	Collar Dia.	Tube Dia.	Tube Length	Cup Size Range	Shipping Weight	List Price
LS-20 9900328	Contains two DAC-10 components and two compartments for lids and one for straws	15" (381 mm)	24" (610 mm)	21 1/2" (546 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	44 lbs. (20 kg)	$610.00
LS-30 9900326	Contains three DAC-10 components and three compartments for lids and one for straws	15" (381 mm)	24" (610 mm)	28" (711 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	44 lbs. (20 kg)	$740.00
DACS-20 9900310	Contains two DAC-10 components	9 1/4" (235 mm)	24" (610 mm)	20 3/8" (518 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	26 lbs. (12 kg)	$470.00
DACS-30 9900312	Contains three DAC-10 components	9 1/4" (235 mm)	24" (610 mm)	29 3/4" (756 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	70 lbs. (32 kg)	$600.00
DACS-35 9900320	Contains three DAC-5 components	8" (203 mm)	25" (635 mm)	24" (610 mm)	7 1/4" (184 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 32 oz.	70 lbs. (32 kg)	$600.00
DACS-35 9900321	Contains two DAC-5 components and one DAC-10 component	8" (203 mm)	25" (635 mm)	24" (610 mm)	7 1/4" (184 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 32 oz.	70 lbs. (32 kg)	$600.00
DACS-40 9900324	Contains four DAC-10 components	9 1/4" (235 mm)	24" (610 mm)	38" (965 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	100 lbs. (45 kg)	$740.00
DACS-50 9900314	Contains five DAC-10 components	15" (381 mm)	24" (610 mm)	30" (762 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	105 lbs. (48 kg)	$860.00
DACS-60 9900330	Contains four DAC-5 components and two DAC-10 components	15" (381 mm)	24" (610 mm)	30" (762 mm)	8 1/4" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	95 lbs. (43 kg)	$1000.00
SSDAC-5 9900332	Individual DAC-5 component with stainless look collar	—	—	—	7 1/4" (184 mm)	5 1/2" (140 mm)	23 3/4" (603 mm)	8 oz. to 32 oz.	5 lbs. (3 kg)	$93.00
SSDAC-10 9900335	Individual DAC-10 component with stainless look collar	—	—	—	8 1/4" (210 mm)	5 1/2" (140 mm)	23 3/4" (603 mm)	8 oz. to 64 oz.	5 lbs. (3 kg)	$93.00
DAC-5 9900305	Individual DAC-5 component	—	—	—	7 1/4" (184 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 32 oz.	5 lbs. (3 kg)	$83.00
DAC-10 9900301	Individual DAC-10 component	—	—	—	8 1/8" (210 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	5 lbs. (3 kg)	$83.00
LD-10 9900642	Individual LD-10 lid dispenser	—	—	—	7" (178 mm)	5" (127 mm)	24" (610 mm)	n/a	3 lbs. (1.5 kg)	$65.00
7000478	Consumable Front Mounting Bracket kit for individual DAC-5 components	—	—	—	—	—	—	—	—	$23.10
7000479	Consumable Front Mounting Bracket kit for individual DAC-10 components	—	—	—	—	—	—	—	—	$24.30

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Solar-Powered Timers

Models TTS-4, TTS-8

Easy to program and maintain, these timers mount to any magnetic surface. Multiple challens allow for accurate timing when cooking or food holding to ensure product consistency. Separate audible and visual signals indicate when timing is complete. Includes a 90-day warranty.

Model & Mfg. No.	Electrical	Number of Channels	Width	Depth	Height	Shipping Weight	Price
TTS-4 9900624	Solar powered and 3 AA Alkaline batteries included.	4	10" (254 mm)	2 1/8" (54 mm)	6 1/8" (156 mm)	4 lbs. (2 kg)	$450.00
TTS-8 9900628	Solar powered and 3 AA Alkaline batteries included.	8	10" (254 mm)	2 1/8" (54 mm)	6 1/8" (156 mm)	4 lbs. (2 kg)	$470.00

Hand Wash Timer

Model HWT-20

This twenty-second hand-washing timer acts as a visual tool to help employees conform to health and safety requirements. Requires no user intervention to operate or activate the process. Mounts to any magnetic surface. Includes a 90-day warranty.

Model & Mfg. No.	Electrical	Cycle Time	Width	Depth	Height	Shipping Weight	Price
HWT-20 9900640	Two AA batteries with an estimated operating life of 3 years.	20 seconds	6" (152 mm)	1 1/4" (32 mm)	4" (102 mm)	1 lb. (0.45 kg)	$140.00

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Notes

Dimensions listed are for piece of equipment without shipping box. Shipping weight includes equipment and shipping box.

Terms of Sale

All orders are subject to acceptance by ROUNDUP Food Equipment. To ensure prompt shipment, always order by catalog model number.

Upon credit approval, terms shall be net thirty (30) days. Accounts exceeding thirty (30) days are subject to a service charge of 1.5 % per month on the unpaid balance of the invoice.

Shipping weights indicated in this price schedule are approximate and many vary depending upon accessories delivered with the order. All shipments are f.o.b. our factory, Carol Stream, IL USA.

Enclosed electrical specifications are standard. If electrical requirements are different from standard, add 5% to the equipment cost.

All amounts quoted in this price list are in U.S. dollars. Payment in any other currency will not be accepted.

If shipment is lost or damaged in transit the purchaser should make a claim directly upon the carrier. Careful inspection should be made of the shipment as soon as it arrives and visible damage should be noted upon the carrier's receipt. All merchandise must be unpacked and inspected within ten (10) days after receipt. Damage should be reported to the carrier within that period. All boxes and packing will be required for inspection on damaged goods claims.

No equipment may be returned without an authorized return number. Returned merchandise is subject to a restocking charge plus charges for any necessary repairs to place equipment in resalable condition.

Returned goods must be shipped prepaid.

15% Restocking Charge on Returned Merchandise.

Prices quoted do not include federal, foreign, excise, municipal, or other sales or use taxes. All such taxes are the responsibility of the purchaser.

Limited Warranty

Equipment manufactured by ROUNDUP Food Equipment Division of A.J. Antunes & Co. has been constructed of the finest materials available and manufactured to high quality standards. These units are warranted to be free from electrical and mechanical defects for a period of one (1) year from date of purchase under normal use and service, and when installed in accordance with manufacturer's recommendations. To insure continued operation of the units, follow the maintenance procedures outlined in the Owner's Manual. During the first 12 months, electro-mechanical parts, non-overtime labor, and travel expenses up to 2 hours (100 miles/160 km), round trip from the nearest Authorized Service Center are covered.

1. This warranty does not cover cost of installation, defects caused by improper storage or handling prior to placing of the Equipment. This warranty does not cover overtime charges or work done by unauthorized service agencies or personnel. This warranty does not cover normal maintenance, calibration, or regular adjustments as specified in operating and maintenance instructions of this manual, and/or labor involved in moving adjacent objects to gain access to the equipment. This warranty does not cover consumable/wear items. This warranty does not cover damage to the Load Cell or Load Cell Assembly due to abuse, misuse, dropping of unit/shock loads or exceeding maximum weight capacity (4 lbs). This warranty does not cover water contamination problems such as foreign material in water lines or inside solenoid valves. It does not cover water pressure problems or failures resulting from improper/incorrect voltage supply. This warranty does not cover Travel Time & Mileage in excess of 2 hours (100 miles/160 km) round trip from the nearest authorized service agency.
2. Roundup reserves the right to make changes in design or add any improvements on any product. The right is always reserved to modify equipment because of factors beyond our control and government regulations. Changes to update equipment do not constitute a warranty charge.
3. If shipment is damaged in transit, the purchaser should make a claim directly upon the carrier. Careful inspection should be made of the shipment as soon as it arrives and visible damage should be noted upon the carrier's receipt. Damage should be reported to the carrier. This damage is not covered under this warranty.
4. Warranty charges do not include freight or foreign, excise, municipal or other sales or use taxes. All such freight and taxes are the responsibility of the purchaser.
5. This warranty is exclusive and is in lieu of all other warranties, expressed or implied, including any implied warranty or merchantability or fitness for a particular purpose, each of which is hereby expressly disclaimed. The remedies described above are exclusive and in no event shall roundup be liable for special consequential or incidental damages for the breach or delay in performance of this warranty.

Prices and specifications are subject to change without notice.

ROUNDUP® REPRESENTATIVES

For the most up-to-date and complete list of A.J. Antunes & Co. sales representatives and distributors in your region, please visit our web site at www.ajantunes.com.

REPRESENTED BY:

A.J. Antunes & Co.
We exist to make our customers successful.

A.J. Antunes & Co.
Headquarters/Manufacturing
Carol Stream, Illinois 60188 USA
Phone: (630) 784-1000
Toll Free: (800) 253-2991
Fax: (630) 784-1650

Antunes Equipment
Manufacturing (Suzhou) Ltd.,
Suzhou, Jiangsu, China 215011
Phone: 86-512-6841-3637
Toll Free: 400-0-7878-22
Fax: 86-512-6841-3907

www.ajantunes.com

P/N 1050002 12/13